





Area		JAPAN	NORTH AMERICA	EUROPE	GENERAL AREA
Model Name		XRJ-48A90K	XR-48A90K	XR-48A90K	XR-48A90K
SV No.		SV-40372	SV-40222	SV-40344	SV-40276
DIMENSION	TV only (W x H x D)	106.9 x 62.4 x 5.9 (2.48) cm Δ	1069 x 624 x 59 (24.8) mm / 42 1/8 x 24 5/8 x 2 3/8 (1) inch Δ	Approx. 106.9 x 62.4 x 5.9 (2.48) cm Δ	Approx. 1069 x 624 x 59 (24.8) mm Δ
	TV only with camera (WxHxD)	-	-	-	-
	TV with Stand (Standard position) (W x H x D)	106.9 x 62.9 x 22.5 cm	1069 x 629 x 225 mm / 42 1/8 x 24 7/8 x 8 7/8 inch	Approx. 106.9 x 62.9 x 22.5 cm	Approx. 1069 x 629 x 225 mm
	TV with Stand (Narrow position) (W x H x D)	-	-	-	-
	TV with Stand (Soundbar position) (W x H x D)	106.9 x 69.7 x 22.5 cm	1069 x 697 x 225 mm / 42 1/8 x 27 1/2 x 8 7/8 inch	Approx. 106.9 x 69.7 x 22.5 cm	Approx. 1069 x 697 x 225 mm
	TV with Stand (Front position style) (W x H x D)	-	-	-	-
	TV with Stand (Back position style) (W x H x D)	-	-	-	-
	TV with Floor Stand (W x H x D)	-	-	-	-
	Stand Width (Standard position)	50.0 cm	500 mm / 19 3/4 inch	Approx. 50.0 cm	Approx. 500 mm
	Stand Width (Narrow position)	-	-	-	-
	Stand Width (Soundbar position)	50.0 cm	500 mm / 19 3/4 inch	Approx. 50.0 cm	Approx. 500 mm
	Stand Width (Front position style)	-	-	-	-
	Stand Width (Back position style)	-	-	-	-
WEIGHT	Floor Stand Width	-	-	-	-
	VESA Hole Pitch	30.0 x 30.0 cm	300 x 300 mm / 11 7/8 x 11 7/8 inch	30.0 x 30.0 cm	300 x 300 mm
	TV Only	13.4 kg	13.4 kg / 29.6 lb	Approx. 13.4 kg	Approx. 13.4 kg
	TV with Stand (Standard position)	16.5 kg	16.5 kg / 36.4 lb	Approx. 16.5 kg	Approx. 16.5 kg
	TV with Stand (Narrow position)	-	-	-	-
	TV with Stand (Soundbar position)	16.8 kg	16.8 kg / 37.1 lb	Approx. 16.8 kg	Approx. 16.8 kg
	TV with Stand (Front/Back position style)	-	-	-	-
	TV with Floor Stand	-	-	-	-
Remarks	Floor Stand weight (Supply)	-	-	-	-
	W-M't Br. Weight (Supply)	-	-	-	-
		2way	2way	2way	2way



WITH STAND
STANDARD POSITION STYLE





Purchase recycled resins and wire rods only from the business partners that Sony approves as Green Partners.
再生樹脂・銅線鋼線はグリーンパートナー 認定製品からの調達を促す。

△x						GENERAL TOLERANCE	DATE OF ISSUE
△y							2021.12.22
△z	5	2022.03.07	REVISE TABLE & DIMENSION	ILWMAN			DOCUMENT TYPE
HISTORY	SUFFIX	RELEASE NO.	REVISION	SIGN.			PART
X COUNT	PREL. NO.	DATE					DRAWING
LEGAL OWNER							(JIS & ISO/IEC JIS)
Sony Corporation						MATERIAL COLOR	FINISH COLOR
RESPONSIBLE DEPARTMENT	PLANNED BY	DESIGNED BY	APPROVED BY	SCALE	ORIGINAL MODEL	DESCRIPTION	
Panel & Mechanical Design	2021.12.22	ILWMAN		1:5		48(A90K) EXTERIOR VIEW	
DRAWN BY				SIZE	TENTATIVE MODEL	DESCRIPTION	
2021.12.22				A1		48(A90K) EXTERIOR VIEW	
ILWMAN				UNIT	PART NO.	SUFFIX	REV. NO.
				mm			1/4
<small>THE MODEL SHOWN IS FOR REFERENCE ONLY. THE ACTUAL PRODUCT MAY BE DIFFERENT FROM THE MODEL SHOWN. PLEASE REFER TO THE PRODUCT SPECIFICATION FOR THE LATEST INFORMATION. THIS DRAWING IS THE PROPERTY OF SONY CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THE ORDER. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM SONY CORPORATION.</small>							


WITH STAND
SOUNDBAR POSITION STYLE




WITHOUT STAND



SU-WL450 SLIM



SU-WL450 STANDARD



SU WL-850

SU WL-855 WITH LATERAL SHAFT BRACKET

