

Crystal LED


A window to a new world



ZRD-CH12D


Pixel Pitch	1.27 mm
Surface	Deep black coating
Resolution (Width × Height)	480 × 270
Brightness (max.)	1300cd/m2
Contrast Ratio (0 lx)	More than 1,000,000:1

PANEL GRID



Product	Model	Quantity
Crystal LED Display Cabinet	ZRD-CH12D	70
Crystal LED Display Controller	ZRCT-300	2
Optical Transmitter / Optical Receiver	ZRA-T1 / ZRA-R1	5 pair


Signal Cabling



ZRCT-300 (rear) OUTPUT ports 1~12 connected to ●



Power Cabling 200v



Specification			
Wall Type	Flat		
Display Units	70		
Width	10		
Height	7		
Dimensions			
Width	20.01 ft	240.16 in	6.10 m
Height	7.88 ft	94.53 in	2.40 m
Diagonal	258.09 in		
Surface Area	157.65 ft²	14.65 m²	
Depth	69 mm		
Resolution	4,800px × 1,890px (9.1 MP)		
Aspect Ratio	160:63		
Pixel Pitch	1.27 mm		
Brightness (cd/m2)	1,300		
Display Weight (excluding frame)	1,327.2 lbs	602 kg	
Power Consumption	8.4 kW max	3.85 kW average	
Heat dissipation			
Front	13160 BTU/h max	6090 BTU/h average	
Rear	15470 BTU/h max	7140 BTU/h average	

* Custom Frame and Base will be provided by Third Party Vendor through Sony.

** Specifications are for Crystal LED Display Cabinet only. Frame, Base and other items are not included.

*** Specifications are subject to change without notice.

**** Requires spare kit based on the display size.

***** This page is not optimised for Internet Explorer browser.