

SCREEN CONFIGURATION SUMMARY

PROJECT: WP22-07596 - MAXINCEEL 4680 VAC

SCREEN: PRINMAX-INCEEL-00165 - 4680-MAX-INCEEL-1.78-VAC-M05

SCREEN:

PRINMAX-INCEEL-00165

Description: 4680-MAX-INCEEL-1.78-VAC-M05

Description 2: Overall size 5.200X3.064 mm

Screen Model: Max-Inceel

Native Aspect Ratio: 1.78 Widescreen TV (16:9)

Fabric: Vision Acoustik

Screen Finishing: Max Float Tensio 5

Dimension Range: 4680 mm Viewing Area

OPTIONS:

Bracket Options: Bracket for Outside Plasterboard Installation

Fabric Roll Assembly: Back Fall

Screen Mechanism: Somfy Standard Motor

Voltage: 230V 50Hz

Instructions: Adeo Screen Manual

ACCESSORIES:

QTY

Control System:

AROL0004: Interface RS232-RF-12V-Dry contact for Screen - 1 interface control 1 motor (for Biformat 2 interface) 1

TOTAL, EXCLUDING FREIGHT & LOCAL TAXES:

Customer:

AWE EUROPE LTD

Alexander House 3A, Blenheim Road

EPSOM

KT19 9AP

GB

Phone: [REDACTED]

Email: [REDACTED]

Website: www.awe-europe.com

Comments:

SCREEN CONFIGURATION SUMMARY


PROJECT: WP22-07596 - MAXINCEEL 4680 VAC

SCREEN: PRINMAX-INCEEL-00165 - 4680-MAX-INCEEL-1.78-VAC-M05

TOLERANCE:

	<= 2500mm	<= 4000mm	<= 8000mm
Structure and Components	± 3mm	± 5mm	± 10mm
Projection Fabric	± 1%		

Autogenerated Drawing - Not in Scale




SCREEN CONFIGURATION SUMMARY

PROJECT: WP22-07596 - MAXINCEEL 4680 VAC

SCREEN: PRINMAX-INCEEL-00165 - 4680-MAX-INCEEL-1.78-VAC-M05

MOUNTING BRACKET AND INSTALLATION VIEW:



PACKAGING INFORMATION:

ESTIMATED SCREEN NET WEIGHT: 96.20Kg / 211.60Lb

	SHIPPING DIMENSIONS				NUMBER OF BOXES	TOTAL SHIPPING WEIGHT	
	LENGTH	DEPTH	HEIGHT	PALLET HEIGHT		kg	lbs
mm	5380mm	290mm	320mm	430mm	1	111.10	244.42
inches	211.81"	11.42"	12.60"	16.93"		kg	lbs

Autogenerated Drawing - Not in Scale

