

SCREEN CONFIGURATION SUMMARY

PROJECT: WP23-00677 - MovieMaskLR 4000 240 RGR

SCREEN: PFMAMMLR-00027 - 4000-MMLR-2.40-RG2

SCREEN:

PFMAMMLR-00027

Description: 4000-MMLR-2.40-RG2

Description 2: Overall size 4.220x1.887 mm

Screen Model: MovieMask LR

Native Aspect Ratio: 2.40 Blu-Ray scope (12:5)

Fabric: Reference Grey 2

Dimension Range: 4000mm

OPTIONS:

Screen Mechanism: Nice Radio Integrated Standard

Power Plug: British Power Plug

Voltage: 230V 50Hz

Instructions: Adeo Screen Manual

ACCESSORIES:

QTY

Control System:

AROL0004: Interface RS232-RF-12V-Dry contact for Screen - 1 interface
control 1 motor (for Biformat 2 interface) 1

TOTAL, EXCLUDING FREIGHT & LOCAL TAXES:

Customer:

AWE EUROPE LTD

Alexander House 3A, Blenheim Road

EPSOM

KT19 9AP

GB

Phone:

Email:

Website: www.awe-europe.com


Comments:

SCREEN CONFIGURATION SUMMARY


PROJECT: WP23-00677 - MovieMaskLR 4000 240 RGR

SCREEN: PFMAMMLR-00027 - 4000-MMLR-2.40-RG2


AVAILABLE FORMATS:




With Lateral Masking to 1.78:1 Aspect Ratio



With Lateral Masking to 1.85:1 Aspect Ratio




With Lateral Masking to 1.89:1 Aspect Ratio




With Lateral Masking to 2.35:1 Aspect Ratio


Cross Section A-A




Cross Section B-B



Side View



Front View



FRAME and NATIVE IMAGE TOLERANCE:

UP TO	MM	INCHES
2500mm/98"	+/- 3mm	+/- 0.12"
4000mm/157"	+/- 5mm	+/- 0.20"
8000mm/315"	+/- 10mm	+/- 0.39"

HOUSING TOLERANCE:

UP TO	MM	INCHES
2500mm/98"	+/- 9mm	+/- 0.35"
4000mm/157"	+/- 15mm	+/- 0.59"
8000mm/315"	+/- 30mm	+/- 1.18"

Autogenerated Drawing - Not in Scale

SCREEN CONFIGURATION SUMMARY

PROJECT: WP23-00677 - MovieMaskLR 4000 240 RGR

SCREEN: PFMAMMLR-00027 - 4000-MMLR-2.40-RG2

