

Crystal LED


A window to a new world



ZRD-CH12D


Pixel Pitch	1.27 mm
Surface	Deep black coating
Resolution (Width × Height)	480 × 270
Brightness (max.)	1300cd/m2
Contrast Ratio (0 lx)	More than 1,000,000:1

PANEL GRID



Product	Model	Quantity
Crystal LED Display Cabinet	ZRD-CH12D	49
Crystal LED Display Controller	ZRCT-300	1
Optical Transmitter / Optical Receiver	ZRA-T1 / ZRA-R1	4 pair

Signal Cabling




**Optical transmitter/receiver cannot be cabled across color-coded zones.*

ZRCT-300 (rear) OUTPUT ports 1~12 connected to ●



Power Cabling 200v



Specification			
Wall Type	Flat		
Display Units	49		
Width	7		
Height	7		
Dimensions			
Width	14.01 ft	168.11 in	4.27 m
Height	7.88 ft	94.53 in	2.40 m
Diagonal	192.86 in		
Surface Area	110.35 ft²	10.25 m²	
Depth	69 mm		
Resolution	3,360px × 1,890px (6.4 MP)		
Aspect Ratio	16:9		
Pixel Pitch	1.27 mm		
Brightness (cd/m2)	1,300		
Display Weight (excluding frame)	929 lbs	421.4 kg	
Power Consumption	5.88 kW max	2.69 kW average	
Heat dissipation			
Front	9212 BTU/h max	4263 BTU/h average	
Rear	10829 BTU/h max	4998 BTU/h average	

* Custom Frame and Base will be provided by Third Party Vendor through Sony.

** Specifications are for Crystal LED Display Cabinet only. Frame, Base and other items are not included.

*** Specifications are subject to change without notice.

**** Requires spare kit based on the display size.

***** This page is not optimised for Internet Explorer browser.