

Crystal LED


A window to a new world



ZRD-CH12D


Pixel Pitch	1.27 mm
Surface	Deep black coating
Resolution (Width × Height)	480 × 270
Brightness (max.)	1300cd/m ²
Contrast Ratio (0 lx)	More than 1,000,000:1

PANEL GRID



Product	Model	Quantity
Crystal LED Display Cabinet	ZRD-CH12D	64
Crystal LED Display Controller	ZRCT-300	1
Optical Transmitter / Optical Receiver	ZRA-T1 / ZRA-R1	4 pair

Signal Cabling




**Optical transmitter/receiver cannot be cabled across color-coded zones.*

ZRCT-300 (rear) OUTPUT ports 1~12 connected to ●



Power Cabling 200v



Specification

Wall Type	Flat		
Display Units	64		
Width	8		
Height	8		
Dimensions			
Width	16.01 ft	192.13 in	4.88 m
Height	9.00 ft	108.03 in	2.74 m
Diagonal	220.42 in		
Surface Area	144.14 ft ²	13.39 m ²	
Depth	69 mm		
Resolution	3,840px × 2,160px (8.3 MP)		
Aspect Ratio	16:9		
Pixel Pitch	1.27 mm		
Brightness (cd/m ²)	1,300		
Display Weight (excluding frame)	1,213.4 lbs	550.4 kg	
Power Consumption	7.68 kW max	3.52 kW average	
Heat dissipation			
Front	12032 BTU/h max	5568 BTU/h average	
Rear	14144 BTU/h max	6528 BTU/h average	

* Custom Frame and Base will be provided by Third Party Vendor through Sony.

** Specifications are for Crystal LED Display Cabinet only. Frame, Base and other items are not included.

*** Specifications are subject to change without notice.

**** Requires spare kit based on the display size.

***** This page is not optimised for Internet Explorer browser.