


QNED93 115”

2026 model

115QNED93B6

Front & Side (UNIT: mm)	115"	Remark
A (Set width : W)	2565	W/O Stand
B1 (Head, thickest depth: Wall mount surf., speaker part depth: D)	58.9	
C1 (Head height, Including protrusion: H)	1469	
D (Depth, Including Stand)	465	With Stand
E (Height, Including Stand)	1524 1554	
B2 (Head, slimmest depth)	20.7	
C2 (Head height, Excluding protrusion)	1462	
H (Stand, horizontal outer length)	1880	
J (Head, front surf. ~ Stand, front end)	187	



Back & Side (UNIT: mm)	115"
S (L/R side end of 2nd step)	2565
T (HEAD, L/R side ~ VESA Hole center)	229
U (VESA horizontal length)	553/1000
V (VESA vertical length)	200/500
V1 (Head, left side ~ Power cord hole Center)	2385
V2 (Head, bottom side ~ Power cord hole Center)	240
W (HEAD, top side ~ VESA Hole Center)	245
X1 (Head, bottom side ~ VESA Hole center)	516
X2 (Head, lowest part ~ VESA Hole center)	524
AA (VESA joint depth, including B/C thickness)	23
BB (VESA Bracket, Screw tap depth)	17.4

