

# SCREEN CONFIGURATION SUMMARY

PROJECT: WP23-00685 - MovieMaskLR 3500 240 VAC

SCREEN: PFMAMMLR-00022 - 3500-MMLR-2.40-VAC

## SCREEN:

PFMAMMLR-00022

Description: 3500-MMLR-2.40-VAC  
Description 2: Overall size 3.720x1.678 mm  
Screen Model: MovieMask LR  
Native Aspect Ratio: 2.40 Blu-Ray scope (12:5)  
Fabric: Vision Acoustik  
Dimension Range: 3500mm

## OPTIONS:

Screen Mechanism: Nice Radio Integrated Standard  
Power Plug: British Power Plug  
Voltage: 230V 50Hz  
Instructions: Adeo Screen Manual

## ACCESSORIES:

QTY

Control System:  
AROL0004: Interface RS232-RF-12V-Dry contact for Screen - 1 interface control 1 motor (for Biformat 2 interface) 1

## TOTAL, EXCLUDING FREIGHT & LOCAL TAXES:

### Customer:

AWE EUROPE LTD  
Alexander House 3A, Blenheim Road  
EPSOM  
KT19 9AP  
GB

Phone:

Email:

Website: [www.awe-europe.com](http://www.awe-europe.com)





### Comments:

# SCREEN CONFIGURATION SUMMARY


PROJECT: WP23-00685 - MovieMaskLR 3500 240 VAC

SCREEN: PFMAMMLR-00022 - 3500-MMLR-2.40-VAC


## AVAILABLE FORMATS:



## Cross Section A-A




## Cross Section B-B



## Side View



## Front View



## FRAME and NATIVE IMAGE TOLERANCE:

| UP TO       | MM       | INCHES    |
|-------------|----------|-----------|
| 2500mm/98"  | +/- 3mm  | +/- 0.12" |
| 4000mm/157" | +/- 5mm  | +/- 0.20" |
| 8000mm/315" | +/- 10mm | +/- 0.39" |

| HOUSING TOLERANCE: |          |           |
|--------------------|----------|-----------|
| UP TO              | MM       | INCHES    |
| 2500mm/98"         | +/- 9mm  | +/- 0.35" |
| 4000mm/157"        | +/- 15mm | +/- 0.59" |
| 8000mm/315"        | +/- 30mm | +/- 1.18" |

Autogenerated Drawing - Not in Scale

# SCREEN CONFIGURATION SUMMARY

PROJECT: WP23-00685 - MovieMaskLR 3500 240 VAC

SCREEN: PFMAMMLR-00022 - 3500-MMLR-2.40-VAC

